



CATALOG



GLORIA

TYPE S.ANDREA

Plant height: 95 cm

Vegetative: 135 Days

Production: Very high

Grain size: 6.5 x 3.1 mm

Resistance to Pyricularia: High

Resistance to Helminthosporium: Very high

Lodging resistance: Very high

Tillering capacity: High

TECHNICAL ADVICE:

Seed hectare dose: 180/200 Kg

Recommended fungicide treatments



ALLEGRO

TYPE S. ANDREA

Plant height: 95 cm

Vegetative: 140 Days

Production: high

Grain size: 6.4 x 3.0 mm

Resistance to Pyricularia: High

Resistance to Helminthosporium: High

Lodging resistance: High

Tillering capacity: Good

TECHNICAL ADVICE:

Seed hectare dose: 180/200 Kg

Recommended fungicide treatments



ZAR

TYPE CARNAROLI

Plant height: 100 cm

Vegetative: 145 Days

Production: Very high

Grain size: 6.7 x 2.9 mm

Resistance to Pyricularia: Good

Lodging resistance: High

Tillering capacity: High

TECHNICAL ADVICE:

Seed hectare dose: 180/200 Kg

Recommended fungicide treatments



TELEMACO

TYPE ARBORIO

Plant height: 95 cm

Vegetative: 150 Days

Production: High

Grain size: 6.8 x 3.3 mm

Resistance to Pyricularia: Good

Resistance to Helminthosporium: Good

Lodging resistance: High

Tillering capacity: High

TECHNICAL ADVICE:

Seed hectare dose: 180/200 Kg

Recommended fungicide treatments



SINTRA

TYPE RIBE

Plant height: 90 cm

Vegetative: 142 Days

Production: High

Grain size: 6.4 x 2.7 mm

Resistance to Pyricularia: Good

Resistance to Helminthosporium: Very high

Lodging resistance: High

Tillering capacity: High

CONSIGLI TECNICI:

Dose seme per ettaro: 180/200 Kg

Trattamento fungicida



CASANOVA

TYPE BALDO

Plant height: 90 cm

Vegetative: 138 Days

Production: High

Grain size: 7.0 x 3.0 mm

Resistance to Pyricularia: Good

Resistance to Helminthosporium: High

Lodging resistance: High

Tillering capacity: Good

TECHNICAL ADVICE:

Seed hectare dose: 180/200 Kg

Recommended fungicide treatments



CORSA

TYPE BALDO

Plant height: 100 cm

Vegetative: 135 Days

Production: High

Grain size: 7.0 x 3.0 mm

Resistance to blast: Good

Resistance to Helminthosporium: Good

Lodging resistance: Very high

Tillering capacity: High

TECHNICAL ADVICE:

Seed hectare dose: 180/200 Kg

Recommended fungicide treatments



KRYSTALLINO

ROUND

Plant height: 90 cm

Vegetative: 132 Days

Production: Very high

Grain size: 5 x 3 mm

Resistance to Pyricularia: Good

Resistance to Helminthosporium: Good

Lodging resistance: High

Tillering capacity: Good

TECHNICAL ADVICE:

Seed hectare dose: 200/220 Kg

Recommended fungicide treatments





YARI

ROUND

Plant height: 85 cm

Vegetative: 140 Days

Production: High

Grain size: 5.1 x 3.1 mm

Resistance to Pyricularia: Good

Resistance to Helminthosporium: Good

Lodging resistance: Very high

Tillering capacity: Very high

TECHNICAL ADVICE:

Seed hectare dose: 180/200 Kg

Recommended fungicide treatments



RONALDO

LONG A

Plant height: 90 cm

Vegetative: 150 Days

Production: Very high

Grain size: 6.4 x 2.7 mm

Resistance to Pyricularia: High

Resistance to Helminthosporium: Very high

Lodging resistance: Very high

Tillering capacity: High

TECHNICAL ADVICE:

Seed hectare dose: 180/200 Kg

Recommended fungicide treatments



LEONARDO

LONG A

Plant height: 90 cm

Vegetative: 140 Days

Production: Very high

Grain size: 5.8 x 2.7 mm

Resistance to Pyricularia: Good

Resistance to Helminthosporium: High

Lodging resistance: High

Tillering capacity: High

TECHNICAL ADVICE:

Seed hectare dose: 180/200 Kg

Recommended fungicide treatments



LEONARDINO

LONG A

Plant height: 90 cm

Vegetative: 135 Days

Production: High

Grain size: 5.8 x 2.7 mm

Resistance to Pyricularia: High

Resistance to Helminthosporium: High

Lodging resistance: High

Tillering capacity: High

TECHNICAL ADVICE:

Seed hectare dose: 180/200 Kg

Recommended fungicide treatments



ALVA

LONG A

RESISTANCE TO SALINITY

Plant height: 90 cm

Vegetative: 132 Days

Production: Very high

Grain size: 6.3 x 2.6 mm

Resistance to Pyricularia: Very high

Resistance to Helminthosporium: High

Lodging resistance: Very high

Tillering capacity: High

TECHNICAL ADVICE:

Seed hectare dose: 160/180 Kg

Recommended fungicide treatments



Velox

LONG A

Plant height: 90 cm

Vegetative: 135 Days

Production: Very high

Grain size: 6.4 x 2.7 mm

Resistance to Pyricularia: High

Resistance to Helminthosporium: High

Lodging resistance: Very high

Tillering capacity: High

TECHNICAL ADVICE:

Seed hectare dose: 200/220 Kg

Recommended fungicide treatments



LASER

LONG B

Plant height: 90 cm

Vegetative: 145 Days

Production: High

Grain size: 7.2 x 2 mm

Resistance to Pyricularia: High

Resistance to Helminthosporium: High

Lodging resistance: High

Tillering capacity: High

TECHNICAL ADVICE:

Seed hectare dose: 200 Kg

Recommended fungicide treatments



NERONE 2

BLACK RICE, MEDIUM

Plant height: 90 cm

Vegetative: 145 Days

Production: High

Grain size: 6.0 x 2.8 mm

Resistance to Pyricularia: Good

Resistance to Helminthosporium: Good

Lodging resistance: High

Tillering capacity: High

TECHNICAL ADVICE:

Seed hectare dose: 180 Kg

Recommended fungicide treatments



INDACO

BLACK RICE, LONG A

Plant height: 95 cm

Vegetative: 140 Days

Production: High

Grain size: 6.3 x 2.8 mm

Resistance to Pyricularia: Good

Resistance to Helminthosporium: Good

Lodging resistance: Very high

Tillering capacity: High

TECHNICAL ADVICE:

Seed hectare dose: 180/200 Kg

Recommended fungicide treatments



CONTACTS

Via Bertarino 8,
15057 Tortona
Tel. 0131 862625
info@lugano.it
www.lugano.it

COMMERCIAL:

Fabio Lodi
cell: 393-9729629
fabio.l@lugano.it

LOGISTICS:

Stefania Romanotto
uff: 0131-821759
stefania.r@lugano.it

PRODUCTION

CERTIFICATION:

Claudia Ferrari
cell: 392-9550511
claudia.f@lugano.it

ADMINISTRATION:

Cristina Tripepi
cell: 0131-821759
amministrazione@lugano.it

BREEDING:

Cesare Martinotti
cell: 335-6965092
cesare.m@lugano.it

Michela Martinotti
cell: 335-6965093
michela.m@lugano.it



Varietà	Classificazione	Taglia	Semina	Ciclo
Ronaldo	Lungo A	bassa	dal 5/05 al 10/05	150 gg
Leonardo	Lungo A	bassa	dal 5/05 al 15/05	140 gg
Leonardino	Lungo A	bassa	dal 5/05 al 20/05	135 gg
Alva	Lungo A	bassa	fino al 25/05	132 gg
Velox	Lungo A	media	fino al 5/06	135 gg
Gloria	Lungo A Tipo fino	media	dal 15/05 al 20/05	135 gg
Allegro	Tipo S. Andrea	bassa	dal 15/05 al 20/05	140 gg
Sintra	Tipo Ribe	bassa	fino al 20/05	142 gg
Casanova	Tipo Baldo	media	dal 15/05 al 20/05	138 gg
Zar	Tipo Carnaroli	media	dal 10/05 al 15/05	145 gg
Telemaco	Tipo Arborio	media	dal 5/05 al 10/05	150 gg
Corsa	Tipo Baldo	bassa	fino al 25/05	135 gg
Krystallino	Tondo	bassa	fino al 5/06	132 gg
Yari	Tondo	bassa	dal 10/05 al 15/05	140 gg
Laser	Lungo B	bassa	fino al 15/05	145 gg
Nerone 2	Medio	bassa	dal 15/05 al 20/05	145 gg
Indaco	Lungo A	media	dal 10/05 al 20/05	140 gg